

RESOLUTION 2020-31

**PURCHASE OF EQUIPMENT FOR CITY OF MARIETTA**

**WHEREAS**, the purchase of equipment, materials and supplies is necessary to perform the duties relative to the functions lawfully imposed upon or assumed by the City of Marietta; and

**WHEREAS**, the following described equipment is needed to allow for the performance of the above described duties/functions; and

**WHEREAS**, in accordance with Section 2-172 of the Code of Ordinances, the following competitive bids for the purchase were submitted:

<u>PREMIER TRUCK GROUP</u>	<u>2021 FREIGHTLINER/14 CU YD DUMP BODY</u>	<u>\$120,102.<sup>00</sup></u>
<u>BUCKNERS</u>	<u>2020 MAACK/14 CU YD DUMP BODY</u>	<u>\$126,881.<sup>00</sup></u>
<u>RUSH TRUCK CENTER</u>	<u>2020 PETERBILT/14 CU YD DUMP BODY</u>	<u>\$124,497.<sup>00</sup></u> and

**WHEREAS**, staff recommend the purchase of equipment as submitted by PREMIER TRUCK GROUP, based upon the following justification: LOWEST BID, CURRENTLY OWN SAME MODEL, CLOSE LOCATION FOR SERVICE; and

**WHEREAS**, funding is available to provide for this expenditure within the budget of the current fiscal year, under the following department/account: 01-15-800; 01-80-800; 02-15-800

**NOW, THEREFORE, BE IT RESOLVED** by the City Council of the City of Marietta:

- The purchase of 2021 FREIGHTLINER WITH 14 CU YD DUMP BODY as submitted by PREMIER TRUCK GROUP - ARDMORE is hereby approved based on:
  - the recommendation of staff as previously indicated.
  - the following: \_\_\_\_\_.
- The expenditure for the purchase will be deducted from the following department/account: CEMETERY/PARK, STREET, TRANSFER SITE CAPITOL OUTLAY WITH LPA THROUGH BANCFIRST FOR FIVE YEARS AT 5% OR LESS.

**PASSED** by the City Council and **SIGNED** by the Mayor this 16TH day of JULY, 2020.

CITY OF MARIETTA

  
KIMBERLY FRAIRE, MAYOR

ATTEST

  
DOTTIE GWIN, CITY CLERK



# *Proposal for City of Marietta*

June 16th, 2020

## 2021 Freightliner M2 106 Dump Truck

*1 or more Units*

**Truck Price:       \$118,300.00 ea.**

Delivery: To Be Determined

Price includes Dump Bed Installation

Quote valid for 30 days

F.O.B.: Ardmore, Oklahoma

Payment Terms: In order to provide the City of Marietta with the lowest pricing possible, no allowance was made in this quote for other than payment on delivery. Therefore, if our quote is acceptable, payment on delivery will be required. Should extended payment terms be necessary, upon request, the cost for delayed payment can be quoted and arrangements made through our finance office.

Thank you for allowing Premier Truck Group of Ardmore the opportunity to give you a price quote. If you have any questions or concerns regarding this proposal please feel free to give me a call.

*Respectfully submitted,*

Brian Jackson

Truck Sales

Premier Truck Group of Ardmore

1

DAIMLER TRUCKS NORTH AMERICA LLC PAGE 1

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226  
VEH S/N: ML2226

INVOICE NO.....Y10312  
INVOICE DATE.....03/03/20  
TSO NO.....MY202158K  
MODEL NO.....M2106  
ENG SN.....74633975  
BUILD LOC...AGO TIANGUISTEN  
PO NO.....  
SALES OUTLET.....TGFD  
CUSTOMER ACCT.....N39614  
STOCK OR SOLD.....STOCK

0 SOLD TO: THE AROUND THE CLOCK FREIGHTLINER GROUP, LLC  
DBA PREMIER TRUCK GROUP OF FORT WORTH  
1804 NE LOOP 820  
FORT WORTH, TX 76106

\*\*\*\*\*  
\* PAYMENT FOR THIS VEHICLE \*  
\* IS DUE ON 03/17/20 \*  
\*\*\*\*\*

0 CUSTOMER: FORT WORTH FREIGHTLINER-STERLING-WESTERN STAR  
P.O. BOX 161579  
FORT WORTH, TX 76161

0	0	TSO	DB		SUGGESTED
0	0	LINE	CODE	DESCRIPTION	RETAIL
0				PRICE LEVEL INFORMATION	
0	01	PRL-20M		M2 PRL-20M (EFF:4/30/19)	
0				BASE MODEL	
0	02	001-172		M2 106 CONVENTIONAL CHASSIS	103,510.00
	03	004-221		2021 MODEL YEAR SPECIFIED	N/C
	04	995-091		MEDIUM TRUCK WARRANTY	STD
	05	002-004		SET BACK AXLE - TRUCK	STD
	06	019-001		TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	1,083.00
	07	003-001		LH PRIMARY STEERING LOCATION	STD

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0		ENGINE	
0	08	101-22U CUM L9 350 HP @ 2000 RPM, 2200 GOV RPM, 1000 LB/FT @ 1400 RPM	13,596.00
	09	99C-017 2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/C ARB/FINAL GHG17 CONFIGURATION	N/C
	10	99X-019 OBD 2019 MISFIRE MONITORING	N/C
	11	99Z-004 VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D OES NOT HAVE REGULATORY VEHICLE SPEED LI MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN (AES)	N/C
	12	99D-009 2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LEFT S IDE OF HOOD)	109.00
	13	9EE-004 J1939 ELECTRICAL ARCHITECTURE	N/C
	14	992-001 50 STATE EMISSIONS CERTIFICATION	N/C
	15	28F-002 ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUN TED REGENERATION REQUEST SWITCH	STD
	16	79A-075 75 MPH ROAD SPEED LIMIT	N/C
	17	79B-000 CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT	N/C
	18	79C-998 NO DRIVER FUEL ECONOMY INCENTIVE	N/C
	19	79D-998 NO PROGRESSIVE SHIFTING	N/C
	20	79E-998 NO LOW RANGE TORQUE PROTECT	N/C
	21	79F-998 NO FLEET MANAGEMENT	N/C
	22	79G-998 NO IDLE SHUTDOWN CONFIGURATION	N/C
	23	79J-998 NO PTO SHUTDOWN CONFIGURATION	N/C
	24	79K-007 PTO MODE ENGINE RPM LIMIT - 1100 RPM	N/C
	25	79L-998 PTO MODE THROTTLE OVERRIDE DISABLED	N/C
	26	79M-001 PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED	N/C
	27	79N-998 NO PTO MODE CLUTCH OVERRIDE	N/C
	28	79P-002 PTO RPM WITH CRUISE SET SWITCH - 700 RPM	N/C
	29	79Q-003 PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM	N/C
	30	79R-998 NO PTO MODE COOLING FAN	N/C
	31	79S-001 PTO MODE CANCEL VEHICLE SPEED - 5 MPH	N/C
	32	79T-998 NO PTO MODE RPM INCREMENT	N/C
	33	79U-007 PTO GOVERNOR RAMP RATE - 250 RPM PER SEC OND	N/C
	34	79V-998 NO PTO MODE DPF REGEN	N/C
	35	79W-998 REMOTE PTO DISABLED	N/C
	36	79X-998 NO PTO 1 SET SPEED	N/C
	37	79Y-998 NO PTO 2 SET SPEED	N/C
	38	79Z-998 NO PTO 3 SET SPEED	N/C
	39	80A-998 NO ALTERNATE ROAD SPEED LIMIT	N/C
	40	87W-998 NO PTO MODE ENG RPM LIMIT, PTO 2	N/C

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	41	87X-998	NO PTO MODE ENG RPM LIMIT, PTO 3	N/C
	42	87Y-998	NO PTO MODE ENG RPM LIMIT, PTOEM	N/C
	43	87Z-998	NO PTO MODE ENG RPM LIMIT, REMOTE	N/C
	44	88X-998	NO PTO 1 REMOTE SET SPEED	N/C
	45	88Y-998	NO PTO 2 REMOTE SET SPEED	N/C
	46	88Z-998	NO PTO 3 REMOTE SET SPEED	N/C
	47	80B-998	NO CHECK ENGINE LIGHT ON OVERSPEED	N/C
	48	80C-998	NO ENGINE BRAKE WITH CRUISE CONTROL	N/C
	49	80D-998	NO SOFT CRUISE CONTROL	N/C
	50	80E-998	NO ENGINE FAN WITH RETARDER	N/C
	51	80F-998	NO MAINTENANCE MONITOR	N/C
	52	80G-002	PTO MINIMUM RPM - 700	N/C
	53	80S-998	NO PTO 1 CONTROLS	N/C
	54	80T-998	NO PTO 2 CONTROLS	N/C
	55	80U-998	NO PTO 3 CONTROLS	N/C
	56	80V-998	NO ENGINE MOUNT PTO CONTROLS	N/C
	57	85P-998	NO REAR PTO TRANSMISSION RANGE	N/C
	58	85K-998	NO PTO 1 J1939 CONTROL	N/C
	59	85L-998	NO PTO 2 J1939 CONTROL	N/C
	60	85M-998	NO PTO 3 J1939 CONTROL	N/C
	61	85N-998	NO ENGINE MOUNT PTO J1939 CONTROL	N/C
	62	80H-998	NO ACCELERATION MANAGEMENT	N/C
	63	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH	N/C
	64	80R-998	NO DRIVETRAIN TORQUE PROTECTION	N/C
	65	80Y-998	NO CRUISE CONT-UPPER/LOWER LIMITS	N/C
	66	84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	67	84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	68	84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	69	84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	70	84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	71	84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	N/C
	72	84M-998	TCU-PUMP MODE OPTION NOT CONFIGURED	N/C
	73	84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED	N/C
	74	85B-998	TCU-RANGE INDICATION NOT CONFIGURED	N/C

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	75	85E-998	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT CONFIGURED	N/C
	76	85F-998	TCU-MAX PTO ENGINE SPEED OPERATION NOT CONFIGURED	N/C
	77	85G-998	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED	N/C
	78	85H-998	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION NOT CONFIGURED	N/C
0			ENGINE EQUIPMENT	
0	79	13E-001	STANDARD OIL PAN	N/C
	80	105-001	ENGINE MOUNTED OIL CHECK AND FILL	N/C
	81	104-998	NO ENGINE OIL DRAIN/SAMPLE	N/C
	82	133-004	ONE PIECE VALVE COVER	N/C
	83	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER	STD
	84	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	STD
	85	292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES	13.00
	86	290-017	BATTERY BOX FRAME MOUNTED	STD
	87	281-001	STANDARD BATTERY JUMPERS	N/C
	88	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB	N/C
	89	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN	N/C
	90	289-001	NON-POLISHED BATTERY BOX COVER	STD
	91	33M-998	NO AUXILIARY POWER DISTRIBUTION MANAGEMENT	N/C
	92	293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	206.00
	93	295-998	NO JUMPSTART POST	N/C
	94	180-998	NO CLUTCH	N/C
	95	183-998	NO CLUTCH BRAKE	N/C
	96	181-998	NO CLUTCH RELEASE BEARING LUBE	N/C
	97	182-998	NO CLUTCH RELEASE	N/C
	98	107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE	N/C
	99	108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR	N/C
100	131-013		AIR COMPRESSOR DISCHARGE LINE	N/C
101	152-041		ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	STD
102	128-076		CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	N/C

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	103	016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	823.00
	104	239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT	-4.00
	105	233-998	NO EXHAUST BRIGHTWORK (PLAIN)	N/C
	106	237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP	N/C
	107	23U-001	6 GALLON DIESEL EXHAUST FLUID TANK	N/C
	108	43W-001	STANDARD DIESEL EXHAUST FLUID SYSTEM COOLANT PLUMBING	N/C
	109	30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL	STD
	110	23Z-998	NO DIESEL EXHAUST FLUID TANK COVER	N/C
	111	43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION	N/C
	112	23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING	N/C
	113	43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP	N/C
	114	242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)	N/C
	115	273-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE	N/C
	116	276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED	N/C
	117	110-003	CUMMINS SPIN ON FUEL FILTER	N/C
	118	118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER	N/C
	119	120-998	NO COOLANT FILTER	N/C
	120	266-013	1100 SQUARE INCH ALUMINUM RADIATOR	N/C
	121	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT	STD
	122	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT	N/C
	123	172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES	STD
	124	270-016	RADIATOR DRAIN VALVE	N/C
	125	168-002	LOWER RADIATOR GUARD	STD
	126	360-998	NO FRONT ENGINE PTO	N/C
	127	361-998	NO REAR ENGINE PTO	N/C
	128	138-998	NO BLOCK HEATER	N/C
	129	141-998	NO COOLANT HEATER - GAS/DSL	N/C
	130	166-998	NO OIL PREHEATER	N/C
	131	140-998	NO ENGINE HEATER RECEPTACLE	N/C
	132	134-001	ALUMINUM FLYWHEEL HOUSING	STD
	133	132-004	ELECTRIC GRID AIR INTAKE WARMER	N/C
	134	155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	N/C

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0		TRANSMISSION & EQUIPMENT	
0	135	342-582 ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	6,785.00
	136	352-998 NO AUXILIARY TRANSMISSION	N/C
	137	343-339 ALLISON VOCATIONAL PACKAGE 223 - AVAILAB LE ON 3000/4000 PRODUCT FAMILIES WITH VO CATIONAL MODELS RDS, HS, MH AND TRV	N/C
	138	84B-012 ALLISON VOCATIONAL RATING FOR ON/OFF HIG HWAY APPLICATIONS AVAILABLE WITH ALL PRO DUCT FAMILIES	N/C
	139	84C-023 PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3 000/4000 PRODUCT FAMILIES ONLY	N/C
	140	84D-023 SECONDARY MODE GEARS, LOWEST GEAR 1, STA RT GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	N/C
	141	341-018 MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI ON DRAIN, AXLE(S) FILL AND DRAIN	N/C
	142	345-003 PUSH BUTTON ELECTRONIC SHIFT CONTROL, DA SH MOUNTED	N/C
	143	97G-004 TRANSMISSION PROGNOSTICS - ENABLED 2013	N/C
	144	348-998 NO TRANSMISSION ACCESSORIES	N/C
	145	347-998 NO CLUTCH HOUSING MATERIAL	N/C
	146	370-015 WATER TO OIL TRANSMISSION COOLER, IN RAD IATOR END TANK	STD
	147	346-003 TRANSMISSION OIL CHECK AND FILL WITH ELE CTRONIC OIL LEVEL CHECK	N/C
	148	368-998 NO EXTERNAL TRANSMISSION OIL FILTER	N/C
	149	84T-000 DISABLE - NEUTRAL RANGE ASSIST	N/C
	150	84U-000 DRIVER SWITCH INPUT - DEFAULT - NO SWITC HES	N/C
	151	84V-998 TCU-DIRECTION CHNG,NOT CONFIGURED	N/C
	152	84W-001 AUXILIARY FUNCTION RANGE INHIBIT WITH MU LTIPLEXED SERVICE BRAKES - ALLISON 5TH G EN TRANSMISSIONS	N/C
	153	85D-001 SINGLE INPUT AUTOMATIC NEUTRAL WITH SELE CTOR OVERRIDE WITH MULTIPLEXED PARK BRAK E - ALLISON 5TH GEN TRANSMISSIONS	N/C
	154	353-022 VEHICLE INTERFACE WIRING CONNECTOR WITHO UT BLUNT CUTS, AT BACK OF CAB	49.00
	155	34C-002 ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR MOUNTED BACK OF CAB	76.00
	156	362-823 CUSTOMER INSTALLED CHELSEA 280 SERIES PT O	N/C
	157	363-001 PTO MOUNTING, LH SIDE OF MAIN TRANSMISSI ON	N/C
	158	375-998 NO AUXILIARY OIL COOLER	N/C



4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	159	377-998	NO POWER DIVIDER	STD	
	160	373-998	NO TRANSFER CASE	N/C	
	161	376-998	NO SHIFT CONTROL, TRANSFER CASE	N/C	
	162	371-998	NO AUX TRANS/TRANSFER CASE MTD POWER TAKEOFF	N/C	
	163	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)	N/C	
	164	385-998	NO MAIN DRIVELINE HARDWARE	STD	
0			FRONT AXLE, SUSPENSION & EQUIPMENT		
0	165	400-1BA	DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI /3.74 DROP SINGLE FRONT AXLE		2,220.00
	166	398-998	NO FRONT AXLE RATIO	STD	
	167	389-998	NO FRONT AXLE DRIVESHAFT	STD	
	168	402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	N/C	
	169	403-002	NON-ASBESTOS FRONT BRAKE LINING	STD	
	170	419-023	CONMET CAST IRON FRONT BRAKE DRUMS		8.00
	171	427-998	NO FRONT BRAKE DUST SHIELDS	STD	
	172	409-006	FRONT OIL SEALS	STD	
	173	408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL	STD	
	174	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES	STD	
	175	404-1B2	WABCO LONGSTROKE FRONT BRAKE CHAMBERS	N/C	
	176	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	STD	
	177	536-012	TRW TAS-85 POWER STEERING	N/C	
	178	537-005	STEEL STEERING SHAFT	N/C	
	179	539-003	POWER STEERING PUMP	STD	
	180	534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR	STD	
	181	533-998	NO POWER STEERING OIL COOLER	STD	
	182	40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE		14.00
	183	620-005	18,000# FLAT LEAF FRONT SUSPENSION		767.00
	184	619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION	N/C	
	185	62G-998	NO FRONT SUSPENSION OPTIONS	N/C	
	186	62H-998	NO FRONT SUSPENSION SPRING BRACKET OPTIONS	STD	
	187	629-998	NO FRONT SWAYBAR	STD	
	188	410-001	FRONT SHOCK ABSORBERS		128.00
0			REAR AXLE, SUSPENSION & EQUIPMENT		
0	189	420-1K3	MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE		9,922.00
	190	421-463	4.63 REAR AXLE RATIO	N/C	

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226 INVOICE NO.....Y10312  
VEH S/N: ML2226 INVOICE DATE.....03/03/20

0	191	424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING	101.00
	192	382-998	NO (#1) DRIVELINE	N/C
	193	386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVE LINE WITH HALF ROUND YOKES	488.00
	194	388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES	N/C
	195	393-998	NO DRIVELINE GUARD	N/C
	196	452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	1,499.00
	197	878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE	N/C
	198	87A-001	BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF	N/C
	199	87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH	N/C
	200	423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	12.00
	201	433-002	NON-ASBESTOS REAR BRAKE LINING	STD
	202	434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)	N/C
	203	451-023	CONMET CAST IRON REAR BRAKE DRUMS	57.00
	204	425-998	NO REAR BRAKE DUST SHIELDS	N/C
	205	440-006	REAR OIL SEALS	STD
	206	435-998	NO DRIVELINE PARKING BRAKE	STD
	207	426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS	STD
	208	428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS	92.00
	209	876-998	NO AIR PP/ELECT AXLE SHIFT,CAB	N/C
	210	87C-998	NO DRIVE/SHIFT AXLE WIRING/LOGIC	N/C
	211	898-998	NO AIR PP/ELECT-AXLE SHIFT,CHAS	N/C
	212	41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE	-239.00
	213	622-297	TUFTRAC GEN2 40,000# REAR SPRING SUSPENSION	3,656.00
	214	034-998	NO REAR SUSPENSION PACKAGE	N/C
	215	621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)	N/C
	216	431-003	AXLE CLAMPING GROUP	N/C
	217	624-025	55 INCH AXLE SPACING	N/C
	218	628-998	NO SUSPENSION BEAMS	N/C
	219	888-998	NO DUMP VALVE/SWITCH FOR AIR SUSPENSION	N/C
	220	87D-998	NO REAR AIR SUSPENSION VALVE WIRING/LOGIC	N/C
	221	910-998	NO REAR CHASSIS SUSPENSION AIR PIPING	N/C
	222	623-006	FORE/AFT AND TRANSVERSE CONTROL RODS	N/C

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	223	630-998	NO REAR SUSPENSION STABILIZER	N/C
	224	439-001	REAR SHOCK ABSORBERS - ONE AXLE	N/C
	225	035-998	NO DEAD AXLE PACKAGE	STD
	226	443-998	NO PUSHER OR TAG AXLE	STD
	227	456-998	NO PUSHER/TAG BRAKES	STD
	228	457-998	NO BRAKE LINING-PUSHER/TAG(SCO)	STD
	229	448-998	NO REAR BRAKE DRUMS/ROTOR FOR PUSHER/TAG	STD
	230	429-998	NO PUSHER/TAG BRAKE DUST SHIELDS	STD
	231	442-998	NO PUSHER OR TAG OIL SEALS	N/C
	232	444-998	NO PUSHER OR TAG HUB CAPS	N/C
	233	445-998	NO PUSHER OR TAG BRAKE CHAMBERS	STD
	234	458-998	NO PUSHER/TAG SLACK ADJUSTERS	STD
	235	626-998	NO PUSHER OR TAG SUSPENSION	STD
	236	874-998	NO PUSHER/TAG AXLE LIFT	STD
	237	896-998	NO PLUMBING FOR LIFT AXLE	STD
	238	87F-998	NO LIFT AXLE WIRING/LOGIC	STD
0			BRAKE SYSTEM	
0	239	018-002	AIR BRAKE PACKAGE	STD
	240	490-101	WABCO 4S/4M ABS WITH TRACTION CONTROL, WITH ATC OFF-ROAD SWITCH	199.00
	241	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES	STD
	242	46E-001	STANDARD AIR MANAGEMENT UNIT	N/C
	243	904-001	FIBER BRAID PARKING BRAKE HOSE	STD
	244	412-001	STANDARD BRAKE SYSTEM VALVES	N/C
	245	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM	STD
	246	413-002	STD U.S. FRONT BRAKE VALVE	STD
	247	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE	STD
	248	480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER	STD
	249	483-998	NO AIR SYSTEM OIL FILTER	N/C
	250	479-012	AIR DRYER MOUNTED UNDER HOOD	N/C
	251	460-001	STEEL AIR BRAKE RESERVOIRS	STD
	252	46A-998	NO AUXILIARY AIR TANK	STD
	253	607-025	CLEAR FRAME RAILS 36 INCHES FROM BACK OF CAB INSIDE AND BELOW BOTH FRAME RAILS	63.00
	254	477-004	PULL CABLES ON ALL AIR RESERVOIR(S)	3.00
	255	485-998	NO EXTERNAL CHARGING GLADHAND	N/C
	256	481-998	NO TRAILER AIR HOSE	STD
	257	476-998	NO AIR HOSE HANGER	STD
	258	914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS	N/C

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226 INVOICE NO.....Y10312

VEH S/N: ML2226 INVOICE DATE.....03/03/20

0	259	919-998	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM	N/C
	260	484-998	NO TRAILER CABLE AND GLAD HANDS STORAGE	STD
	261	296-028	SWITCH AND INDICATOR LIGHT FOR PRIMARY R ECEPTACLE CENTER PIN, LABELED TRLR-AUX, WITH STOP SIGNAL PREWIRE PACKAGE	81.00
	262	297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE REC EPTACLE MOUNTED END OF FRAME	N/C
	263	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT	STD
	264	32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT	STD
	265	87P-001	CAB AUXILIARY POWER CABLE	N/C
	266	308-998	NO SUPPLEMENTAL TRAILER CABLE WIRING	N/C
	267	331-001	SUPPLEMENTAL J560 7-WAY RECEPTACLE LOCAT ED WITH PRIMARY RECEPTACLE	116.00
	268	30K-998	NO HIGH CURRENT RECEPTACLE/WIRING	STD
	269	30L-998	NO HIGH CURRENT TRAILER/BODY CABLE	N/C
	270	310-998	NO TRAILER ELECTRICAL CABLE	N/C
0			FRAME & WHEELBASE	
0	271	545-640	6400MM (252 INCH) WHEELBASE	N/C
	272	546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8 .73MMX277.8MM/0.344X10.94 INCH) 120KSI	1,044.00
	273	547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	1,371.00
	274	548-998	NO OUTER FRAME REINFORCEMENT	N/C
	275	549-998	NO FRONT FRAME EXTENSION	N/C
	276	552-007	2450MM (96 INCH) REAR FRAME OVERHANG	N/C
	277	553-001	SQUARE END OF FRAME	STD
	278	554-998	NO BUMPER/UNDERRIDE GUARD	STD
	279	550-001	FRONT CLOSING CROSSMEMBER	STD
	280	559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE C ROSSMEMBER	56.00
	281	561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION	N/C
	282	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)	STD
	283	560-008	UNDER OR OVERSLUNG CROSSMEMBER	N/C
	284	565-002	HEAVY DUTY SUSPENSION CROSSMEMBER	N/C
	285	572-001	STANDARD REARMOST CROSSMEMBER	STD
	286	587-998	NO REAR TOWING DEVICE	STD
0			CHASSIS EQUIPMENT	
0	287	674-998	NO LH OR RH BACK OF CAB ACCESS	N/C
	288	592-998	NO DECK PLATE	STD
	289	556-1AR	THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS	370.00
	290	558-001	FRONT TOW HOOKS - FRAME MOUNTED	74.00

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	291	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE	STD	
	292	642-998	NO BUMPER/FENDER MOUNTED SIGHT RODS	N/C	
	293	585-998	NO MUDFLAP BRACKETS	STD	
	294	590-998	NO REAR MUDFLAPS	STD	
	295	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT M UDFLAPS	STD	
	296	576-998	NO TIRE CHAINS/HANGER	STD	
	297	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTEN ERS	STD	
	298	583-998	NO REAR QUARTER FENDERS	STD	
	299	600-998	NO CAB GUARD	N/C	
	300	604-998	NO TIRE CARRIER	N/C	
	301	489-998	NO TIRE PRESSURE CONTROL/SENSOR	N/C	
	302	794-998	NO JACK OR WHEEL WRENCH PROVISION	STD	
	303	795-998	NO TOOLS	STD	
	304	605-998	CHASSIS,MISC CUSTOM REQUIREMENTS-NONE	STD	
	305	601-998	NO BODY BUILDER DIAGRAMS	STD	
	306	970-998	NO BODY TYPE	N/C	
0			FIFTH WHEEL & EQUIPMENT		
0	307	578-998	NO FIFTH WHEEL	N/C	
	308	577-998	NO FIFTH WHEEL LOCATION	N/C	
	309	580-998	NO ADDITIONAL FIFTH WHEEL DRILLINGS	N/C	
	310	582-998	NO FIFTH WHEEL LEG HEIGHT	N/C	
	311	570-998	NO FIFTH WHEEL MOUNTING	N/C	
	312	890-998	NO FIFTH WHEEL PLUMBING	N/C	
	313	579-998	NO FIFTH WHEEL RELEASE/INST.	N/C	
	314	591-998	NO FIFTH WHEEL ADD-ONS	N/C	
0			FUEL TANK(S) & EQUIPMENT		
0	315	206-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - RH	748.00	
	316	201-998	NO RH AUXILIARY FUEL TANK	STD	
	317	204-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	117.00	
	318	200-998	NO LH AUXILIARY FUEL TANK	STD	
	319	230-998	NO BETWEEN RAIL FUEL TANK	STD	
	320	203-998	NO HYDRAULIC OIL TANK	STD	
	321	218-005	RECTANGULAR FUEL TANK(S)	N/C	
	322	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU LIC TANK(S) WITH PAINTED BANDS	STD	
	323	212-014	LH FUEL TANK MOUNTED FORWARD, RH FUEL TA NK MOUNTED AFT	N/C	
	324	11F-998	NO NATURAL GAS VEHICLE FUEL TANK VENT LI NE/STACK	STD	
	325	231-998	NO FUEL TANK MTG BETWEEN RAILS	STD	

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	326	232-998	NO ADDITIONAL FUEL PROVIDED	STD	
	327	664-003	BLACK STEP FINISH	N/C	
	328	207-998	NO FUEL TANK SCREENS	STD	
	329	205-001	FUEL TANK CAP(S)	STD	
	330	220-998	NO FUEL HEATER	STD	
	331	122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	N/C	
	332	216-020	EQUIFLO INBOARD FUEL SYSTEM	STD	
	333	20E-998	NO AUXILIARY FUEL SUPPLY AND RETURN PORT S	STD	
	334	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL L INE	STD	
	335	213-998	NO FUEL LINE INSULATION	STD	
	336	221-998	NO FUEL COOLER	N/C	
0			TIRES		
0	337	093-1VM	MICHELIN X LINE ENERGY Z 315/80R22.5 20 PLY RADIAL FRONT TIRES	286.00	
	338	094-0GP	MICHELIN XDN2 11R22.5 16 PLY RADIAL REAR TIRES	8.00	
	339	095-998	NO PUSHER/TAG TIRES	STD	
	340	510-998	NO SPARE TIRE	STD	
	341	508-998	NO ADDITIONAL SPARE TIRE	N/C	
0			HUBS		
0	342	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HU BS	STD	
	343	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUB S	STD	
	344	449-998	NO PUSHER OR TAG HUBS	STD	
0			WHEELS		
0	345	502-579	MAXION WHEELS 10041 22.5X9.00 10-HUB PIL OT 5.25 INSET 5-HAND STEEL DISC FRONT WH EELS	286.00	
	346	505-1F2	MAXION WHEELS 90541 22.5X8.25 10-HUB PIL OT 6.20 2-HAND STEEL DISC REAR WHEELS	STD	
	347	509-998	NO PUSHER/TAG DISC WHEELS	N/C	
	348	511-998	NO SPARE WHEEL	N/C	
	349	51A-998	NO ADDITIONAL SPARE WHEEL	N/C	
	350	50T-998	NO FRONT AXLE WHEEL/HUB COVER	N/C	
	351	50U-998	NO REAR AXLE WHEEL/HUB COVER	N/C	
	352	524-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH FRONT WHEELS	STD	

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	353	525-998	NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH REAR WHEELS	N/C
	354	526-998	NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH PUSHER/TAG WHEELS	N/C
	355	52L-998	NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH SPARE WHEEL	STD
	356	50W-998	NO RIM/WHEEL TIRE PRESSURE SENSOR	N/C
	357	496-011	FRONT WHEEL MOUNTING NUTS	N/C
	358	497-011	REAR WHEEL MOUNTING NUTS	N/C
	359	498-998	NO TIRE VALVE STEM/CAP/EXTENSIONS	N/C
0			CAB EXTERIOR	
0	360	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	STD
	361	682-998	NO SLEEPER BOX/SLEEPER CAB	STD
	362	784-998	NO AIR SHIELD OR BRACKETS	N/C
	363	783-998	NO SIDE EXTENDERS	STD
	364	782-998	NO FRAME SIDE FAIRINGS	STD
	365	650-003	LEAF SPRING REAR CAB SUSPENSION	232.00
	366	705-998	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS	STD
	367	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	36.00
	368	754-998	NO FENDER EXTENSION	STD
	369	678-001	LH AND RH GRAB HANDLES	STD
	370	646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE	155.00
	371	65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE	49.00
	372	644-004	FIBERGLASS HOOD	STD
	373	690-998	NO NOISE SHIELD-ENG COMPARTMENT	STD
	374	727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED	108.00
	375	726-001	SINGLE ELECTRIC HORN	STD
	376	728-001	SINGLE HORN SHIELD	N/C
	377	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME	STD
	378	78G-002	KEY QUANTITY OF 2	N/C
	379	575-001	REAR LICENSE PLATE MOUNT END OF FRAME	STD
	380	327-998	NO OTHER LIGHTS	STD
	381	312-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL	N/C
	382	302-047	LED AERODYNAMIC MARKER LIGHTS	34.00
	383	315-998	NO FOG LIGHTS	N/C
	384	311-998	NO DAYTIME RUNNING LIGHTS	STD
	385	316-998	NO SPOTLIGHTS	STD
	386	294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS	STD
	387	300-015	STANDARD FRONT TURN SIGNAL LAMPS	STD
	388	469-998	NO WORK LIGHT	N/C

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	389	318-998	NO UTILITY/ADVERTISING LIGHT	STD
	390	744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE	286.00
	391	797-001	DOOR MOUNTED MIRRORS	STD
	392	796-001	102 INCH EQUIPMENT WIDTH	STD
	393	743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	N/C
	394	74A-998	NO AUXILIARY MIRROR	STD
	395	74B-998	NO AUXILIARY MIRROR	STD
	396	713-998	NO PERMIT PLAQUE	STD
	397	729-001	STANDARD SIDE/REAR REFLECTORS	STD
	398	73A-998	NO REFLECTIVE DEVICES	STD
	399	677-079	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH BLACK COVER	-65.00
	400	275-998	NO EMERGENCY WARNING SIRENS	STD
	401	764-998	NO EXTERIOR SUN VISOR	STD
	402	768-043	63X14 INCH TINTED REAR WINDOW	STD
	403	661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS	STD
	404	654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASS ENGER SWITCHES ON DOOR(S)	218.00
	405	767-998	NO SIDE WINDOW	STD
	406	769-998	NO LOWER DOOR WINDOW	N/C
	407	663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD	STD
	408	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED	STD
	409	647-998	NO WINTERFRONT CAB INTERIOR	STD
0	410	707-1AK	OPAL GRAY VINYL INTERIOR	N/C
0	411	055-004	INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION	349.00
	412	706-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR	13.00
	413	708-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR	26.00
	414	772-006	BLACK MATS WITH SINGLE INSULATION	STD
	415	785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER	STD
	416	691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING	STD
	417	694-010	IN DASH STORAGE BIN	STD
	418	696-998	NO REAR FLOOR STORAGE	STD
	419	693-998	NO INTERIOR DOOR STORAGE	STD
	420	826-998	NO LOWER BUNK	N/C



4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	421	666-998	NO BUNK RESTRAINT	STD
	422	738-998	NO CLOCK	STD
	423	742-007	(2) CUP HOLDERS LH AND RH DASH	STD
	424	680-006	GRAY/CHARCOAL FLAT DASH	STD
	425	860-004	SMART SWITCH EXPANSION MODULE	198.00
	426	716-998	NO WINDSHIELD FAN	N/C
	427	720-003	5 LB. FIRE EXTINGUISHER	60.00
	428	71T-998	NO SMOKE/GAS DETECTOR	STD
	429	714-998	NO FIRST AID KIT	STD
	430	700-002	HEATER, DEFROSTER AND AIR CONDITIONER	STD
	431	701-001	STANDARD HVAC DUCTING	STD
	432	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SW ITCH	STD
	433	689-998	NO AUXILIARY HVAC UNIT	STD
	434	170-015	STANDARD HEATER PLUMBING	STD
	435	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRES SOR	N/C
	436	702-002	BINARY CONTROL, R-134A	STD
	437	739-033	STANDARD INSULATION	STD
	438	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES	STD
	439	96R-002	STANDARD ELECTRICAL PROTECTIVE COATING, GREASE ON BATTERY TERMINALS AND RED ENAM EL PAINT IN ENGINE COMPARTMENT AND ON CH ASSIS CONNECTIONS	N/C
	440	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM	STD
	441	324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READ ING LIGHTS, FORWARD CAB ROOF	N/C
	442	655-005	LH AND RH ELECTRIC DOOR LOCKS	99.00
	443	740-998	NO MATTRESS	STD
	444	284-101	(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP US B CHARGER IN DASH	87.00
	445	67E-998	NO ENTRY/ACCESS/STEP WIRING	N/C
	446	710-998	NO CAB PRIVACY CURTAIN	STD
	447	722-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	24.00
	448	756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SE AT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	212.00
	449	760-235	2 MAN TOOL BOX MID BACK NON SUSPENSION P ASSENGER SEAT	192.00
	450	762-998	NO REAR PASSENGER SEAT	N/C
	451	757-998	NO SEAT SKIRT(S)	STD
	452	759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	69.00
	453	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	STD
	454	758-022	BLACK MORDURA CLOTH DRIVER SEAT COVER	24.00
	455	761-023	BLACK MORDURA CLOTH PASSENGER SEAT COVER	23.00
	456	755-998	NO REAR PASSENGER SEAT COVERS	STD

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	457	763-101	BLACK SEAT BELTS	N/C
	458	6TS-998	NO TELEMATICS SYSTEM - WIRING	STD
	459	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	478.00
	460	540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL	STD
	461	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS CONTROLS & INSTRUMENTS	STD
0	462	870-001	BLACK GAUGE BEZELS	STD
	463	732-003	WOODGRAIN DRIVER INSTRUMENT PANEL	N/C
	464	734-003	WOODGRAIN CENTER INSTRUMENT PANEL	N/C
	465	68J-998	NO SWITCH BLANK - INSTRUMENT PANEL	STD
	466	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM	STD
	467	838-998	NO AIR APPLICATION GAUGE	STD
	468	840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES	STD
	469	198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS	STD
	470	721-998	NO BACKUP ALARM	STD
	471	149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL	STD
	472	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY	STD
	473	157-998	NO REMOTE START	STD
	474	811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED	STD
	475	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH	STD
	476	844-001	2 INCH ELECTRIC FUEL GAUGE	STD
	477	845-998	NO FUEL FLOW GAUGE	STD
	478	148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE	STD
	479	163-998	NO ENGINE OPT/RPM CONTROLS WIRING	STD
	480	87L-998	NO REMOTE ENGINE CONTROL-ENABLE	STD
	481	33U-998	NO CUSTOMER DEFINED WIRING FUNCTION	STD
	482	866-998	NO AXLE TEMPERATURE GAUGE	STD
	483	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	STD
	484	854-998	NO ENGINE OIL TEMPERATURE GAUGE	STD
	485	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	STD
	486	867-998	NO OUTSIDE AIR TEMPERATURE GAUGE	STD
	487	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	STD
	488	438-998	NO HUBODOMETER	STD

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	489	33A-998	NO WARNING LIGHT SWITCHES	STD
	490	372-035	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP	116.00
	491	736-998	NO OBSTACLE DETECTION SYSTEM	STD
	492	73H-998	NO CAMERA/VIDEO/IMAGING SYSTEM	STD
	493	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL	N/C
	494	73B-998	NO LANE DEPARTURE WARNING SYSTEM	STD
	495	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE	STD
	496	679-001	OVERHEAD INSTRUMENT PANEL	N/C
	497	35M-998	NO WRG-BDY MULTIPLEX EXPNSN UNIT	STD
	498	786-998	NO POSITIONING/LOCATING SYSTEM	STD
	499	78A-998	NO POSITION/COMMUNICATION ACCESSORY	N/C
	500	1U1-998	NO NAVIGATION SYSTEM	STD
	501	746-116	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM, CD PLAYER, BLUETOOTH, IPOD INTERFACE AND USB AND AUXILIARY INPUTS, J1939	599.00
	502	747-001	DASH MOUNTED RADIO	N/C
	503	74D-998	NO RADIO/SPEAKER WIRING	STD
	504	750-002	(2) RADIO SPEAKERS IN CAB	N/C
	505	753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	N/C
	506	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD	N/C
	507	749-016	CB WIRING ONLY TO ROOF/OVERHEAD CONSOLE; NO MOUNTING PROVISION	N/C
	508	752-998	NO CB ANTENNA, BRACKET OR LEAD	STD
	509	78C-003	INTEROPERABLE SDAR ANTENNA	82.00
	510	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER	STD
	511	817-001	STANDARD VEHICLE SPEED SENSOR	STD
	512	812-001	ELECTRONIC 3000 RPM TACHOMETER	STD
	513	813-998	NO VEHICLE PERFORMANCE MONITOR	N/C
	514	8D1-998	NO DETROIT CONNECT SERVICES SELECTED	N/C
	515	8Z1-998	NO ZONAR SERVICES SELECTED	N/C
	516	80K-998	NO SHUTDOWN OVERRIDE	N/C
	517	80L-998	NO REGEN SYSTEM TAILORING	STD
	518	80M-998	NO ALTERNATE PTO SPEED	STD
	519	80N-998	NO REDUCED ENGINE SPEED ON VSS FAILURE	STD
	520	80P-998	NO FLEET SPEC FOR PARAMETERIZATION	STD
	521	80Q-998	NO VEHICLE SPEED LIMIT - GHG	N/C
	522	162-011	IDLE LIMITER, ELECTRONIC ENGINE	N/C
	523	885-998	NO CONTROLS-FIRE PUMP	STD
	524	329-010	TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT	61.00
	525	81Y-998	NO PRE TRIP SYSTEM TEST	N/C
	526	44R-998	NO ON/OFF LATCHING SMARTPLEX SWITCH	STD
	527	44S-998	NO ON/OFF MOMENTARY SMARTPLEX SWITCH	STD
	528	44T-998	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH	STD

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

VEHICLE ID: 3ALHCYFE7MDML2226

INVOICE NO.....Y10312

VEH S/N: ML2226

INVOICE DATE.....03/03/20

0	529	44U-998	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH	STD
	530	44V-998	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	STD
	531	44W-998	NO UNDEFINED INDICATOR LAMPS	STD
	532	264-998	NO CONTROLS-SIREN/AIR HORN	N/C
	533	482-001	BW TRACTOR PROTECTION VALVE	N/C
	534	883-001	TRAILER HAND CONTROL BRAKE VALVE	N/C
	535	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY	STD
	536	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY	STD
	537	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH	STD
	538	27D-998	NO ALTERNATING FLASHING HEADLAMP SYSTEM	STD
	539	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR	N/C
	540	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	STD
	541	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS	STD
	542	869-998	NO MISCELLANEOUS GAUGES	N/C
0			PAINT	
0	543	065-000	PAINT: ONE SOLID COLOR	STD
	544	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY	N/C
	545	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	STD
	546	98K-998	NO FUEL TANK CABINET PAINT	N/C
	547	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)	STD
	548	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)	STD
	549	96E-998	NO PUSHER/TAG WHEEL PAINT	STD
	550	96F-998	NO SPARE WHEEL PAINT	N/C
	551	964-998	NO BUMPER PAINT	N/C
	552	976-998	NO EXTERIOR SUNVISOR PAINT	STD
	553	963-003	STANDARD E COAT/UNDERCOATING	STD
0			ADDITIONAL SPECIFICATIONS	
0	554	998-998	DEALER ACCEPTS RESPONSIBILITY FOR IN-SERVICE PDI INSPECTION	N/C
	555	95M-998	NO CUSTOMER FURNISHED MATERIAL SPECIFIED	N/C
	556	958-998	NO INSPECTION-LABOR ONLY	N/C
	557	99B-998	NO MODIFICATION CENTER SHIPPING INSTRUCTIONS	STD
	558	82N-998	NO SHIPPING PROTECTION	STD

4747 N CHANNEL AVE, PO BOX 3849, PORTLAND, OR 97208-3849

0VEHICLE ID: 3ALHCYFE7MDML2226 INVOICE NO.....Y10312  
VEH S/N: ML2226 INVOICE DATE.....03/03/20

0	559	999-998	NONE		N/C
	560	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES C ABS AND GLIDER KITS		N/C
	561	MWF-004	DETROIT FRONT AXLE COVERAGE, GENERAL SER VICE, 2 YEAR/UNLIMITED MILES/KILOMETERS		N/C
0			RETAIL SUBTOTAL		\$153,558.00
		PMY-2G1	BUSINESS QUOTE SALES PROGRAM		-.01
0			TOTAL SUGGESTED RETAIL		\$153,557.99
			DEALER NET		\$130,524.29
	P90-611		M2 106 L9 & DD8 37.25%		-48,620.30
	RAG-020		CUMMINS TARIFF CHARGE - \$205		205.00
	P73-2FT		STANDARD DESTINATION CHARGE		2,200.00
	RAR-521		MY2021 M2 106 ESCALATOR - \$900		900.00
0			FINAL PRICE DUE		\$85,208.99

ONOTE: CLAIMS FOR CREDIT MUST BE RECEIVED BY TRUCK  
PRICING WITHIN 120 DAYS TO RECEIVE CONSIDERATION.

#####  
FET-EXEMPT AND FET-CREDIT INFORMATION PROVIDED FOR REFERENCE ONLY  
093-1VM FET-CREDIT AMOUNT: \$52.83 PER TIRE  
094-0GP FET-CREDIT AMOUNT: \$29.39 PER TIRE  
#####

=END=



IF YOU NEED TO HAUL IT,  
WE CAN HELP!

Southwest Trailers & Equipment  
 10400 West Reno  
 Oklahoma City, OK 73127  
 Phone: (405) 943-9851 / (800) 375-6307  
 Fax: (405) 488-1904 Kurt Olson  
 Fax: (405) 488-1906 Kurt Schroeder  
[kolson@swtrailer.com](mailto:kolson@swtrailer.com) or  
[kschroeder@swtrailer.com](mailto:kschroeder@swtrailer.com)  
[www.swtrailer.com](http://www.swtrailer.com)

**QUOTATION**

Quote ID: KS03313

Page 2 of 2

QUANTITY	PART NUMBER	DESCRIPTION	LIST PRICE	AMOUNT
1 EA	SW-25101601 / 09105	UPGRADE TO PTO FOR AUTOMATIC TRANSMISSION HOTSHIFT PTO	\$2,001.00	\$2,001.00

Quote Total:	\$35,552.00
40.00% Discount off List:	(\$14,220.80)
Sales Tax:	\$0.00
Total Due:	\$21,331.20

The following options may be added:

QUANTITY	PART NUMBER	DESCRIPTION	LIST PRICE	AMOUNT	ADD TO QUOTE
1 EA	SW-25101601 / 09102	FURNISH AND INSTALL 8" EXT PAN	\$446.00	\$446.00	Yes / No
1 EA	SW-25101601 / 09104	FURNISH AND INSTALL PREMIER MODEL 2200 PINTLE HOOK HORIZONTAL PULL CAPACITY: 100,000 LBS. TONGUE WEIGHT CAPACITY: 20,000 LBS. LATCH CAPACITY: 60,000 LBS. MAXIMUM EYE X-SECTION: 1-13/16" MINIMUM EYE OPENING: 2" 1" STEEL PLATE W/SIDE REINFORCEMENTS WELDED TO REAR FRAME AIR SERVICE AND EMERGENCY LINES MOUNTED IN PLATE 7 WAY LIGHT BASE SAFETY HOLDERS FOR CHAINS INSTALLED F. O. B. OKLAHOMA CITY.	\$1,772.00	\$1,772.00	Yes / No

Customer must fill out the information below before the order can be processed...

Accepted by:	
Date:	
P.O. number:	

- ◆ Labor and installation is included in all pricing if stated in verbiage.
- ◆ Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.
- ◆ Please note if chassis is furnished, it is as a convenience and terms are Net Due on Receipt of Chassis

Notes:



IF YOU NEED TO HAUL IT,  
WE CAN HELP!

Southwest Trailers & Equipment  
 10400 West Reno  
 Oklahoma City, OK 73127  
 Phone: (405) 943-9851 / (800) 375-6307  
 Fax: (405) 488-1904 Kurt Olson  
 Fax: (405) 488-1906 Kurt Schroeder  
[kolson@swtrailer.com](mailto:kolson@swtrailer.com) or  
[kschroeder@swtrailer.com](mailto:kschroeder@swtrailer.com)  
[www.swtrailer.com](http://www.swtrailer.com)

**QUOTATION**

Quote ID: KS03313

Page 1 of 2

**Customer:** PREMIER TRUCKS OF ARDMORE - MARIETTA  
 3601 12TH AVENUE NW  
 ARDMORE OK 73401

**Quote Number:** KS03313  
**Quote Date:** 6/16/2020  
**Quote valid until:** 7/16/2020

**Contact:** BRIAN  
**Phone:** (580) 465-8959  
**Fax:**  
**Email:**

**Salesperson:** KURT SCHROEDER

QUANTITY	PART NUMBER	DESCRIPTION	LIST PRICE	AMOUNT
		STATE CONTRACT, SW106 **EXPIRES NOVEMBER 26TH, 2020**		
1 EA	SW-25101601 / 09100	FURNISH AND INSTALL GODWIN DUMP BODY, 500T W/63120 HOIST 12/14 CU YD, 15' FEET, 84" INSIDE WIDTH, 96" OUTSIDE WIDTH, 50" HEAD, 41" TAILGATE, 36" SIDES, 10 GAUGE HI-TENSILE STEEL, SIDES, FRONT & T/G SIDES AND HEAD, 12 GAUGE HI-TENSILE SIDES FLOOR RADIUS 2", 8 GAUGE FLOOR, REAR CORNER POST 10" FULL DEPTH, BOXED TOP RAIL, TAILGATE DOUBLE ACTING, 2 X 10 BOARDS W/ CENTER BRACE, MUD FLAPS MANUAL TRANSMISSION 1/2 CAB SHIELD OVER TRUCK CAB SAFETY STRUT, BODY UP LIGHT, BACK UP ALARM POWER TAKE OFF 2 GEAR HEAVY DUTY HOIST FD63120, STROKE 120", 1ST SLEEVE 6", 2ND 6" 3RD 4", BASE TUBE 7", BLEEDER VALVE AT TOP SLEEVE OIL RESERVOIR MOUNTED ON FRAME UNDER DOG HOUSE, REAR PIVOT , HYDRAULIC PUMP 25 GPM 1000 RPM AT 1800 PSI GEAR TYPE DIRECT MOUNT TO POWER TAKE OFF CABLE CONTROL, POWER TAKE OFF 2 GEAR HEAVY DUTY CABLE CONTROL RELIEF VALVE BUILT INTO PUMP, CONTROL VALVE 3 POSITION (RAISE, HOLD & LOWER) SPRING LOAD TO NEUTRAL, CONSOLE ON FLOOR WITH LOCKING DEVICE IN NEUTRAL FOR PUMP, IN & OUT POWER TAKE OFF W/ LIGHTED PANEL, SEALED STAINLESS STEEL CABLE FROM CONTROL BOX TO CONNECTORS FOR PUMP AND POWER TAKE OFF. PAINTED ONE COLOR	\$29,911.00	\$29,911.00
1 EA	SW-25101601 / 09103	FURNISH AND INSTALL TARPING DEVICE, ELECTRIC OPERATED SPRING LOADED, ROLLUP TYPE FRONT TO REAR WITH STANDARD NYLON (MESH) TARP	\$2,877.00	\$2,877.00
1 EA	SW-25101601 / 09113	FURNISH AND INSTALL AIR OPERATED TAILGATE	\$763.00	\$763.00



## Request For Quote - Response

Customer: CITY OF MARIETTA  
 Contact: MIKE BUXTON  
 EMAIL:  
 Phone:

### PRODUCT PRICING BASED ON CONTRACT #SW35T

Line Item #	1000009333	2020
Truck Model	Pinnacle	PI64R
Quote Date	6/17/2020	50867.00695

**A: Purchase Price** \$ 108,068.00

**B: Published Options** [Itemize each item below]

**Selected ("X" indicates Yes)**

Engine Diagnostic Software/Cable	_____
Dust Shield	_____
High Amp Alt.	_____
Elect Wiring for Front Frame Light	_____
Decrease To 84" CA, clear frame	_____
X Increase to 120" + CA, clear frame	\$ -
Increase to 138" + CA w/120,000 F	_____
Increase to 156" + CA w/120,000 F	_____
"C" Channel Frame Reinforcement	_____
Chrome Yellow Paint Per FAA Gui	_____
X Heated Mirrors	\$ 525.00

**Selected ("X" indicates Yes)**

21,000 GAWR Air Ride Rear Susp	_____
X Vertical Exhaust	\$ 1,555.00
Tire Inflator Hose and Fittings	_____
3 Passenger - Air Suspension Driv	_____
X Sun Visor	\$ 285.00
> 100 USG Single Steel Fuel Tank	_____
Highway Tread Rear Tires	_____
Front Tow Hooks	_____
X Air/Elec w/Hand Valve for Trailer	\$ 2,550.00
Deliver Truck > 150 miles	_____
Volume >10 -\$750 per truck	_____

**B: Total amount of Published Options** \$ 4,915.00

**C: Factory Options Not Published on Bid**

0042110 PREMIUM PACKAGE, STEEL GR	\$ 680
1001766 MP8-445C MACK 445HP @ 130	\$ 756
1193005 PROPYLENE GLYCOL FULLY FOF	\$ 3
1240002 SILICONE RADIATOR AND HEAT	\$ 236
1335603 EATON ADVANTAGE SOLO 9-SF	\$ 67

1362175 FULLER RTLO-18913A (12.31/0	\$ 3,980
1529037 HADLEY/KAM 4-WAY W/CHRO	\$ 129
1549014 (2) MACK RECTANGULAR SING	\$ 136
1579001 SUN VISOR, EXTERIOR, STAINLI	\$ 356
1610021 2 SPOKE LEATHER GRIP, SATIN	\$ 27
Subtotal from Section C, Column 1 & 2	\$ 6,370.00
Subtotal transferred from page 2	\$ 18,253.00
<b>Subtotal Factory Options Not Published on Bid</b>	<b>\$ 24,623.00</b>
25% Net Price Discount for Options not Published on Bid	\$ (6,155.75)

**Total Factory Options Not Published on Bid** \$ 18,467.25

**D: Non-Equipment Charges & Credits** (i.e.: Ext. Warranty, Trade-In, etc.)

_____	_____	_____
_____	_____	_____
_____	_____	_____
<b>Subtotal of Non-Equipment Charges</b>		<b>\$ -</b>

**E: Contract Price Adjustment** MISC CUSTOMER DISCOUNT \$ (6,341.25) \$ (6,341.25)

**F: Total Sales Price per unit** \$ 125,109.00

**G: Quantity** 1 x 1

**H: TOTAL PURCHASE PRICE =>** \$ 125,109.00

\_\_\_ Enter printed name, sign, date and enter PO # \_\_\_\_\_ (Printed Name) \_\_\_\_\_ (Date)

\_\_\_ Scan a copy and send to both of the contacts below \_\_\_\_\_ (Signature) \_\_\_\_\_ (PO Number)

Contactor: **Terry R. Anderson**  
 Bruckner Truck Sales, Inc.  
 Corporate Government Sales Manager  
 (210) 863-6478  
[tanderson@brucknertruck.com](mailto:tanderson@brucknertruck.com)

Salesman: **Randy Simmons**  
 Bruckner Truck Sales, Inc.  
 10120 Reno Ave  
 OKC, OK 73127  
[rsimmons@brucknertruck.com](mailto:rsimmons@brucknertruck.com)

YOUR BUSINESS IS APPRECIATED, THANK YOU!







IF YOU NEED TO HAUL IT,  
WE CAN HELP!

Southwest Trailers & Equipment  
10400 West Reno  
Oklahoma City, OK 73127  
Phone: (405) 943-9851 / (800) 375-6307  
Fax: (405) 488-1904 Kurt Olson  
Fax: (405) 488-1906 Kurt Schroeder  
[kolson@swtrailer.com](mailto:kolson@swtrailer.com) or  
[kschroeder@swtrailer.com](mailto:kschroeder@swtrailer.com)  
[www.swtrailer.com](http://www.swtrailer.com)

## QUOTATION

Quote ID: KO02568

Page 1 of 2

Customer: RUSH TRUCKS / CITY OF MARIETTA  
5200 I-40 W  
OKLA CITY OK 73137

Quote Number: KO02568  
Quote Date: 6/15/2020  
Quote valid until: 7/15/2020

Contact: Bill Duncan  
Phone: (405) 246-2425  
Fax: (405) 946-5489  
Email:

Salesperson: KURT OLSON

QUANTITY	PART NUMBER	DESCRIPTION	LIST PRICE	AMOUNT
		STATE CONTRACT, SW106 **EXPIRES NOVEMBER 26TH, 2020**		
1 EA	SW-25101601 / 09100	FURNISH AND INSTALL GODWIN DUMP BODY, 500T W/63120 HOIST 12/14 CU YD, 15' FEET, 84" INSIDE WIDTH, 96" OUTSIDE WIDTH, 50" HEAD, 41" TAILGATE, 36" SIDES, 10 GAUGE HI-TENSILE STEEL, SIDES, FRONT & T/G SIDES AND HEAD, 12 GAUGE HI-TENSILE SIDES FLOOR RADIUS 2", 8 GAUGE FLOOR, REAR CORNER POST 10" FULL DEPTH, BOXED TOP RAIL, TAILGATE DOUBLE ACTING, 2 X 10 BOARDS W/ CENTER BRACE, MUD FLAPS MANUAL TRANSMISSION 1/2 CAB SHIELD OVER TRUCK CAB SAFETY STRUT, BODY UP LIGHT, BACK UP ALARM POWER TAKE OFF 2 GEAR HEAVY DUTY HOIST FD63120, STROKE 120", 1ST SLEEVE 6", 2ND 6" 3RD 4", BASE TUBE 7", BLEEDER VALVE AT TOP SLEEVE OIL RESERVOIR MOUNTED ON FRAME UNDER DOG HOUSE, REAR PIVOT, HYDRAULIC PUMP 25 GPM 1000 RPM AT 1800 PSI GEAR TYPE DIRECT MOUNT TO POWER TAKE OFF CABLE CONTROL, POWER TAKE OFF 2 GEAR HEAVY DUTY CABLE CONTROL RELIEF VALVE BUILT INTO PUMP, CONTROL VALVE 3 POSITION (RAISE, HOLD & LOWER) SPRING LOAD TO NEUTRAL, CONSOLE ON FLOOR WITH LOCKING DEVICE IN NEUTRAL FOR PUMP, IN & OUT POWER TAKE OFF W/ LIGHTED PANEL, SEALED STAINLESS STEEL CABLE FROM CONTROL BOX TO CONNECTORS FOR PUMP AND POWER TAKE OFF. PAINTED ONE COLOR	\$29,911.00	\$29,911.00
1 EA	SW-25101601 / 09103	FURNISH AND INSTALL TARPING DEVICE, ELECTRIC OPERATED SPRING LOADED, ROLLUP TYPE FRONT TO REAR WITH STANDARD NYLON (MESH) TARP	\$2,877.00	\$2,877.00
1 EA	SW-25101601 / 09113	FURNISH AND INSTALL AIR OPERATED TAILGATE	\$763.00	\$763.00



IF YOU NEED TO HAUL IT,  
WE CAN HELP!

Southwest Trailers & Equipment  
10400 West Reno  
Oklahoma City, OK 73127  
Phone: (405) 943-9851 / (800) 375-6307  
Fax: (405) 488-1904 Kurt Olson  
Fax: (405) 488-1906 Kurt Schroeder  
[kolson@swtrailer.com](mailto:kolson@swtrailer.com) or  
[kschroeder@swtrailer.com](mailto:kschroeder@swtrailer.com)  
[www.swtrailer.com](http://www.swtrailer.com)

## QUOTATION

Quote ID: KO02568

Page 2 of 2

QUANTITY	PART NUMBER	DESCRIPTION	LIST PRICE	AMOUNT
1 EA	SW-25101601 / 09105	UPGRADE TO PTO FOR AUTOMATIC TRANSMISSION HOTSHIFT PTO	\$2,001.00	\$2,001.00

Quote Total:	\$35,552.00
40.00% Discount off List:	(\$14,220.80)
Sales Tax:	\$0.00
Total Due:	\$21,331.20

**The following options may be added:**

QUANTITY	PART NUMBER	DESCRIPTION	NET PRICE	AMOUNT	ADD TO QUOTE
1 EA	SW-25101601 / 09102	FURNISH AND INSTALL 8" EXT PAN	\$446.00	\$446.00	Yes / No
1 EA	SW-25101601 / 09104	FURNISH AND INSTALL PREMIER MODEL 2200 PINTLE HOOK HORIZONTAL PULL CAPACITY: 100,000 LBS. TONGUE WEIGHT CAPACITY: 20,000 LBS. LATCH CAPACITY: 60,000 LBS. MAXIMUM EYE X-SECTION: 1-13/16" MINIMUM EYE OPENING: 2" 1" STEEL PLATE W/SIDE REINFORCEMENTS WELDED TO REAR FRAME AIR SERVICE AND EMERGENCY LINES MOUNTED IN PLATE 7 WAY LIGHT BASE SAFETY HOLDERS FOR CHAINS INSTALLED F. O. B. OKLAHOMA CITY.	\$1,772.00	\$1,772.00	Yes / No

Customer must fill out the information below before the order can be processed...

Accepted by:	
Date:	
P.O. number:	

- ◆ Labor and installation is included in all pricing if stated in verbiage.
- ◆ Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.
- ◆ Please note if chassis is furnished, it is as a convenience and terms are Net Due on Receipt of Chassis

Notes:

PETERBILT  
VMXKR036-1  
UNIT TYPE 2

CHASSIS FINAL BILL  
FOR VIN 2NP3LJ9X0LM707030  
OF FLEET 707029 THRU 707030

PAGE 001  
AS OF 10/08/19

DEALER CODE - 0500  
NAME AND ADDRESS  
RUSH PBLT TRUCK CENTERS

CUSTOMER NO - K86A  
CITY OF OKC

DATES  
REQ DELV 06/30/19

8700 WEST I-40  
OKLAHOMA CITY OK 73128

DELIVERY 10/08/19  
PRIC EFF 10/08/19

CHASSIS - \$101,394  
BODY - \$21,331

PREVIOUS CHASSIS NO. 622648

THE FOLLOWING LIST DESCRIBES ALL COMPONENTS USED FOR THIS CHASSIS  
DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY.

APPLICATION  
COMMODITY HAULED 0091070 CONSTRUCTION MATERIALS  
INTENDED SERVICE 0093060 CONSTRUCTION DUMP - ON/OFF HIGHWAY

BODY  
BODY TYPE 0095170 END DUMP  
BODY LENGTH 180.00 IN BODY HEIGHT 102.00 IN  
MAX LADEN WEIGHT 7000.00 LBS

TRAILER  
TRAILER TYPE  
TRAILER LENGTH .00 FT TRAILER HEIGHT .00 FT  
KINGPIN .00 IN CTR LINE AXLE GRP .00 IN  
CORNER RADIUS .00 IN NO TRAILER AXLES 00

OPERATING AREA RESTRICTIONS  
LENGTH 65.00 FT WIDTH 102.00 IN HEIGHT 13.50 FT  
\*\*\*\* DEALER ASSIGNED:

CHASSIS  
FRONT AXLE LOAD 14600.00 LBS REAR AXLE LOAD 40000.00 LBS GCW 54600.00 LBS  
WHEELBASE 198.00 IN FAX/BOC ~~59.88 IN~~ CAB/AXLE 128.20 IN  
CAB/EOF 203.20 IN MAXIMUM GRADE 06 PERCENT HIGHWAY 095  
‡ CLASS B 000  
‡ CLASS C 005  
‡ CLASS D 000

\$122,725 TOTAL  
ETA 3-4 WEEKS

PETERBILT  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 2NP3LJ9X01M707030  
UNIT TYPE 2 OF FLEET 707029 THRU 707030

PAGE 002  
AS OF 10/08/19

SPECIAL REQUIREMENTS  
SPECIAL RESTRICTIONS 0098170 UNITED STATES REGISTRY

ENGINEERING ASSIGNED RATINGS  
GAWR FRONT: 14,600.00 LBS  
GAWR FIRST INTER 20,000.00 LBS SECOND INTER 20,000.00 LBS  
GAWR REAR: 0.00 LBS  
GVWR: 54,600.00 LBS

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
BASE MODEL				
0003481	MODEL 348 MEDIUM DUTY	P	106,946	10,611
0200700	NOT APPLICABLE SECONDARY MANUFACTURER	P	0	0
FRAME AND EQUIPMENT				
0515020	10-5/8" STEEL RAILS 286"-325" 5/16" RAIL THICKNESS	P	45	93
0601500	FULL STEEL INNER LINER USE W/10-1/2, 10-3/4, 10-5/8" RAILS	P	1,236	697
0612230	CUSTOM WHEELBASE OR OVERHANG	P	365	0
0613090	THREE-PIECE CROSSMEMBERS	P	0	0
0644090	BOF SQUARE WITHOUT CROSSMEMBER USE WITH BODY BUILDER INSTALLED XMBR	P	0	0
0651090	OMIT REAR MUDFLAPS & HANGERS	P	0	0
FRONT AXLE AND EQUIPMENT				
1011350	DANA SPICER E1462I 14,600 LB, 3.5" DROP	P	471	53
1112150	TAPER LEAF SPRINGS, SHOCKS 14,600 LBS.	P	289	57
1233050	POWER STEERING TRW TAS85	P	512	7
1250180	POWER STEERING RESERVOIR, FRAME MOUNTED	P	0	0
1353545	PHP10 ALUMINUM PRESET HUBS	P	34	0
1380240	DANA SPICER WIDE TRACK IPO STD FRONT AXLE(S)	P	33	15
1380260	BENDIX AIR CAM FRONT DRUM BRAKES 16.5X5 10,000-14,600 LB STEER AXLES	P	0	0
1391410	GUSSETED CAM BRACKETS, STEER AXLE	P	24	0
REAR AXLE AND EQUIPMENT				
1523300	DANA SPICER DSP41 40,000 LBS.	P	7,820	2,070
1616370	PHP10 IRON PRESET HUBS	P	0	0
1631310	STANDARD STROKE PARKING BRAKES	P	8-	0
1680450	REAR BRAKE CAMSHAFT REINFORCEMENT	P	94	9
1680490	GUSSETED CAM BRACKETS, DRIVE AXLE(S)	P	24	2
1680500	SBM VALVE	P	0	0
1680950	STABILITY SYSTEM NOT SELECTED OR NOT AVAILABLE	P	0	0
1682430	ANTI-LOCK BRAKING SYSTEM (ABS) 4S4M	P	0	0
1684200	SYNTHETIC AXLE LUBRICANT ALL AXLES	P	0	0
1687010	BENDIX AIR CAM REAR DRUM BRAKES 16.5X7	P	0	0
1687348	TANDEM DRIVE AXLE (MODEL 348)	P	0	0

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
1705570	RATIO 5.57 REAR AXLE	P	0	0
1824230	HENDRICKSON HMX400 40,000 LBS., 54" AS HAULMAX, 55K CREEP RATING	P	3,524	527
1921470	SHOCK ABSORBERS FOR HMX SUSPENSION	P	368	31
	ENGINE AND ENGINE EQUIPMENT			
2074405	PACCAR PK-9 330@2000 GOV@2200 1000@1400 PRODUCTIVITY (2017 EMISSIONS)	P	2,883	0
2091305	ENGINE IDLE SHUTDOWN TIMER ENABLED	P	0	0
2091372	EFF EIST NA EXPIRATION MILES	P	0	0
2091640	EFFECTIVE VSL SETTING NA	P	0	0
2140200	CARB ENGINE IDLING COMPLIANCE	P	0	0
N2132	N205 75....STANDARD MAXIMUM SPEED LIMIT			
N2133	N207 0....EXPIRATION DISTANCE (N207)			
N2134	P005 120...HARD MAXIMUM SPEED LIMIT (P1			
N2135	P001 65...MAXIMUM ACCELERATOR PEDAL VE			
N2137	P059 65...MAXIMUM CRUISE SPEED (P059)			
N2140	N203 252...RESERVE SPEED FUNCTION RESET			
N2141	N202 0....MAXIMUM CYCLE DISTANCE (N202			
N2142	N206 10....MAXIMUM ACTIVE DISTANCE (N20			
N2143	N201 0....RESERVE SPEED LIMIT OFFSET (			
N2144	P015 NO....ENGINE PROTECTION SHUTDOWN (			
N2145	P026 NO...GEAR DOWN PROTECTION (P026)			
N2146	P046 1400..MAX PTO SPEED (P046)			
N2147	P062 NO....CRUISE CONTROL AUTO RESUME (			
N2148	P068 NO....AUTO ENGINE BRAKE IN CRUISE			
N2150	N209 0....EXPIRATION DISTANCE (N209)			
N2151	P520 YES...ENABLE IDLE SHUTDOWN PARK BR			
N2152	P030 10....TIMER SETTING (P030)			
N2153	P233 YES...ENABLE IMPENDING SHUTDOWN WA			
N2154	P234 60....TIMER FOR IMPENDING SHUTDOWN			
N2155	P516 35....ENGINE LOAD THRESHOLD (P516)			
N2157	P031 NO....IDLE SHUTDOWN MANUAL OVERRUL			
N2159	P230 YES...ENABLE HOT AMBIENT AUTOMATIC			
N2161	P172 40....LOW AMBIENT TEMPERATURE THRE			
N2162	P173 60....INTERMEDIATE AMBIENT TEMPERA			
N2163	P171 80....HIGH AMBIENT TEMPERATURE THR			
2513060	PACCAR 160 AMP ALTERNATOR, BRUSHED	P	0	0
2521090	IMMERSION TYPE BLOCK HEATER 110-120V SEE SALES TOOL DESC FOR PLUG LOCATION	P	82	2
2522110	PACCAR 12V STARTER N/A PACCAR MX ENGINES	P	0	0
2538030	2 PACCAR PREMIUM 12V STARTING BATTERIES, 2000 CCA	P	0	0
2539410	BATTERY JUMPER TERMINAL MTD UNDER HOOD LH FRAME RAIL	P	112	4
2539740	KISSLING BATTERY DISCONNECT SWITCH 300 AMP; MOUNTED ON BATTERY BOX 2/21/13: R-220 PER ASAP OMD (FJJ)	P	183	2
2621000	2-SPEED FAN CLUTCH FOR FREQUENT START/STOPS	P	373	0

PETERBILT  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 2NP3LJ9X0LM707030  
UNIT TYPE 2 OF FLEET 707029 THRU 707030

PAGE 004  
AS OF 10/08/19

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
2723210	18.7 CFM AIR COMPRESSOR N/A X15	P	0	0
2921160	SPIN-ON FUEL/WATER SEPARATOR	P	0	0
2921210	NO FLUID HEAT OPTION FOR FUEL FILTER	P	0	0
2921320	12V HEAT FOR FUEL FILTER	P	58	0
3010400	ENGINE PROTECTION SHUTDOWN W/DASH LABEL	P	4	0
3114270	HIGH EFFICIENCY COOLING SYSTEM	P	0	0
3211120	RADIAL SEAL, DRY TYPE AIR CLEANER FRONTAL AIR INTAKE	P	0	0
3365280	EXHAUST SINGLE RH HORIZONTAL DPF/SCR RH UNDER CAB (2017)	P	0	0
TRANSMISSION AND CLUTCH				
4052110	ALLISON 3000 RDS-P TRANSMISSION, GEN 5 RUGGED DUTY SERIES	P	10,433	194
4099980	TRANSMISSION APPROVED	U	0	0
N4050	* ALLISON SCAAN # 368972			
4210080	1710 HD DRIVELINE, 1 MIDSHIP BEARING	P	0	0
4250170	ALLISON WORLD TRANS PRIMARY SHIFT SCHEDULE 2	U	0	0
4250420	ALLISON 5TH GEN RDS, PKG 223 3000, 3500, 4000, 4500, 4700 TRANS	U	0	0
4252890	ALLISON FUELSNSE 2.0 NOT DESIRED	P	0	0
4252950	OMIT ALLISON NEUTRAL AT STOP	P	0	0
4256480	TC-419 TORQUE CONVERTER ALLISON TRANSMISSION	U	0	0
4256640	ALLISON 6-SPEED CONFIGURATION	P	0	0
4256920	3000 SERIES TRANS, CLOSE RATIO GEARS DASH MOUNTED PUSH BUTTON SHIFTER	P	628	0
AIR AND TRAILER EQUIPMENT				
4510330	BENDIX AD-IS EP AIR DRYER, HEATER COALESCING FILTER, EXTENDED PURGE	P	222	7
4520420	PULL CORDS ALL AIR TANKS	P	6	0
4540420	NYLON CHASSIS HOSE	P	0	0
4543320	STEEL PAINTED AIR TANKS	P	0	0
4611930	BODY CONNECTIONS 5' BOC	P	135	4
4612900	AE CONNECTION EOF, 7-WAY SOCKET CONNECTION EOF STRAPPED TO THE RAIL	P	439	15
TIRES AND WHEELS				
5033580	FF: GY 16PLY 12R22.5 ENDURANCE RSA PART: GY138783674 FET: 74	P	563	49
5133390	RR: GY 16PLY 11R22.5 G182 RSD GHG PART: GY138954644 FET: 232	P	1,520	52
5190008	CODE-REAR TIRE QTY 08.			
5210610	FF: ACC STL ARMOR 50344PK 22.5X8.25 HEAVY DUTY	P	83	29
5310610	RR: ACC STL ARMOR 50344PK 22.5X8.25 HEAVY DUTY	P	332	116
5390008	CODE-REAR RIM QTY 08.			

PETERBILT  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 2NP3LJ9X0LM707030  
UNIT TYPE 2 OF FLEET 707029 THRU 707030

PAGE 005  
AS OF 10/08/19

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
FUEL TANKS				
5554160	26" ALUM 90 GAL FUEL TANK LH U/C	P	241	13
	NON-SLIP FUEL TANK STEP LH U/C			
5602090	LOCATION LH UNDER CAB 090 GAL.			
5652890	DEF TANK MOUNTED LH BOC	P	0	0
5652990	STD DEF TO FUEL RATIO 2:1 OR GREATER	P	0	0
5655019	DEF TANK SMALL	P	0	0
BATTERY BOX AND BUMPER				
6010670	ALUMINUM SPACE SAVER BATTERY BOX LH BOC	P	211	84-
	BATTERY ACCESS FROM SIDE			
6040550	AFTERTREATMENT RH U/C ALUM NON-SLIP	P	0	0
	CAB ENTRY STEP			
6121180	STEEL STYLED AERO BUMPER PAINTED CAB	P	0	0
	COLOR, 2 TOW POINTS			
CAB AND EQUIPMENT				
6510110	ALUM CAB 108" BBC METTON HOOD	P	0	0
	W/BRIGHT FINISH CROWN			
6540120	SEVERE SERVICE CAB PACKAGE #1	P	134	40
	INCLUDES ALUM SIDE SKINS, ALUM REAR			
6540160	THERMAL INSULATION PACKAGE IN CAB	P	19	2
6800360	FENDER LIPS 2" WIDE	P	97	9
6911700	PETERBILT ULTRARIDE DRIVER SEAT	P	0	0
6923160	(2) PERSON PASSENGER SEAT	P	294	0
6930500	DRIVERS ARMREST - RH ONLY	P	35	2
6939400	AIR RIDE DRIVER	P	0	0
6939420	HIGH BACK DRIVER	P	0	0
6939470	VINYL DRIVER	P	0	0
6939510	NON-AIR RIDE PASSENGER	P	0	0
6939540	LOW BACK PASSENGER	P	21-	0
6939570	VINYL PASSENGER	P	0	0
7001520	ADJUSTABLE STEERING COLUMN	P	113	11
	TILT/TELESCOPE			
7001620	STEERING WHEEL WITH PETERBILT LOGO	P	0	0
7036120	INTERIOR GRAY / BLACK	P	0	0
7210540	DAY CAB REAR WINDOW	P	0	0
7230060	ONE-PIECE CURVED WINDSHIELD	P	0	0
7322010	COMBO FRESH AIR HEATER/AIR CONDITIONER	P	0	0
7330700	PB COMFORT CONTROL - CAB	P	21	7
7410040	OUTSIDE SUNVISOR - STAINLESS STEEL	P	193	4
	N/A W/ 2.1M HR SLEEPER			
7560940	MIRROR AUX RH FENDER/HOOD	P	78	4
	2 LEGS ON FENDER/1 LEG ON HOOD			
7560950	MIRROR AUX LH FENDER/HOOD	P	78	4
	2 LEGS ON FENDER/1 LEG ON HOOD			
7561180	AERO MIRRORS EA SIDE HTD & MTR2D 4-WAY	P	521	4
	ADJUSTABLE BRIGHT FINISH WITH CONVEX			
7564110	POWER PACKAGE	P	343	0
	INCLUDES PWR DOOR LOCKS & WINDOWS			



PETERBILT  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 2NP3LJ9X0LM707030  
UNIT TYPE 2 OF FLEET 707029 THRU 707030

PAGE 006  
AS OF 10/08/19

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
7610020	(1) AIR HORN 15" PAINTED MOUNTED UNDER CAB	P	172	9
7725710	STANDARD SPEAKER PACKAGE FOR CAB (2) SPEAKERS	P	118	4
7725715	CONCERTCLASS W/O CD, INCLUDES BT PHONE & AUDIO, AM/FM, WB, USB AND MP3	P	324	11
7850210	PLUG-IN AUTO RESET CIRCUIT BRKR	P	40	0
7851480	IPO FUSES IN JUNCTION BOX PB ELEC WINDSHIELD WIPERS W/INTERMITTENT FEATURE	P	0	0
7851780	CABMATE CAB AIR SUSP	P	766	15
7900090	TRIANGLE REFLECTOR KIT SHIP LOOSE	P	17	13
7900270	FIRE EXTINGUISHER, CAB MOUNTED HAZMAT APPROVED UL LISTED/RATED ABC	P	54	9
7901130	BACKUP ALARM (107 DB)	P	53	2
8011400	MAIN TRANSMISSION OIL TEMPERATURE GAUGE LOCATED IN DRIVER INFORMATION DISPLAY	P	13	0
8021380	AIR RESTRICTION INDICATOR MTD ON AIR CLEANER, INTAKE PIPING, OR FIREWALL	P	0	0
8071870	MAIN INSTRUMENTATION PANEL GRAPHICS DISPLAY	P	0	0
8111110	HEADLIGHTS COMPOSITE FENDER MOUNTED INTEGRAL PARK, TURN, & SIDE MARKER	P	0	0
8120980	(5) MARKER LIGHTS, AERO LED	P	0	0
8133960	DAYTIME RUNNING LIGHTS REQUIRED ON ALL CANADIAN VEHICLES	P	60	0
8140080	LED STOP/TURN/TAIL/BACKUP BRACKET MOUNTED LH/RH EOF	P	120	7-
8140850	MOVEABLE EOF XMBR FOR MTG TAILLIGHTS WITH OR WITHOUT EOF XMBR & SQUARE EOF	P	102	0
PAINT				
8500710	STANDARD PAINT COLOR SELECTION	P	200-	0
8530770	(1) COLOR AXALTA TWO STAGE PAINT CAB/HOOD	P	0	0
N8502	A - L0006EY WHITE			
N8520	FRAME L0001EA BLACK			
N8530	FENDER L0006EY WHITE			
N8540	HOOD TOP L0006EY WHITE			
N8550	CAB ROOF L0006EY WHITE			
N8570	BUMPER L0006EY WHITE			
MISCELLANEOUS				
9409800	2017 EPA EMISSIONS ENGINE WARRANTY ONLY	P	0	0
9490060	APPLICATIONS CONTACT: TODD HAYMAKER (940) 591-4106 EMAIL: DUNCANW@RUSHENTERPRISES.COM	U	0	0
N9994	CELL PHONE: 4059224093			
N9995	SALESPERSON ID: WILLIAMDUNCA			
N9996	DEALER CONTACT			
N9997	NAME: BILL DUNCAN			
N9998	PH:4057823508			

PETERBILT  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 2NP3LJ9X0LM707030  
UNIT TYPE 2 OF FLEET 707029 THRU 707030

PAGE 007  
AS OF 10/08/19

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
N9999	TEH 08/05/19 OC001			
	** TOTAL ESTIMATED WEIGHT			14,718
	TOTAL LIST PRICE		143,829	
	BELOW CHARGES NOT INCLUDED IN TOTAL LIST PRICE			
	ADJUSTED LIST PRICE		143,829	
	PROMOTION PROGRAM CODE @ 0.00 %		0	
	COMPETITIVE ALLOWANCE NO 01434467 @ 0.00 %		0	
	OPTIONAL EXT WTY & PRV MNT			
9400091	- PETERBILT CLASS 7 STANDARD COVERAGE 1 YEAR/UNLIMITED MILES/KM			0
9400094	- PACCAR PX-9 STANDARD COVERAGE 2 YRS/250,000 MI (402,336 KM)/6,250 HRS			0
9401710	- BASIC VEHICLE TWO YEARS/150,000 MILES			660
9402054	- CHASSIS TO RECEIVE EXTENDED WARRANTY 2 YR TOWING ON EW VEHICLE OR MX - U.S.			300
9481232	- PACCAR 2017 PX-9 PROTECTION PLAN 1 5 YRS/200K MI (321,869 KM)		2,900	
9481241	- PACCAR 2017 PX-9 AFTERTREATMNT COVERAGE 5 YRS/200K MI (321,869 KM)		970	
	TOTAL OPTIONAL EXT WTY & PRV MNT		4,830	
	TOTAL TIRE FET INCLUDED -- AS PRODUCED		306	
	MARKETING PROGRAMS AND PROMOTIONS		675	
	** WEIGHT SHOWN HERE IS AN ENGINEERING ESTIMATE AND DOES NOT INCLUDE UNPUBLISHED OPTIONS. ACTUAL "SHIPPING" WEIGHT MAY VARY.			



IF YOU NEED TO HAUL IT,  
WE CAN HELP!

Southwest Trailers & Equipment  
10400 West Reno  
Oklahoma City, OK 73127  
Phone: (405) 943-9851 / (800) 375-6307  
Fax: (405) 488-1904 Kurt Olson  
Fax: (405) 488-1906 Kurt Schroeder  
[kolson@swtrailer.com](mailto:kolson@swtrailer.com) or  
[kschroeder@swtrailer.com](mailto:kschroeder@swtrailer.com)  
[www.swtrailer.com](http://www.swtrailer.com)

## QUOTATION

Quote ID: KO02568

Page 1 of 2

Customer: RUSH TRUCKS / CITY OF MARIETTA  
5200 I-40 W  
OKLA CITY OK 73137

Quote Number: KO02568  
Quote Date: 6/15/2020  
Quote valid until: 7/15/2020

Contact: Bill Duncan  
Phone: (405) 246-2425  
Fax: (405) 946-5489  
Email:

Salesperson: KURT OLSON

QUANTITY	PART NUMBER	DESCRIPTION	LIST PRICE	AMOUNT
		STATE CONTRACT, SW106 **EXPIRES NOVEMBER 26TH, 2020**		
1 EA	SW-25101601 / 09100	FURNISH AND INSTALL GODWIN DUMP BODY, 500T W/63120 HOIST 12/14 CU YD, 15' FEET, 84" INSIDE WIDTH, 96" OUTSIDE WIDTH, 50" HEAD, 41" TAILGATE, 36" SIDES, 10 GAUGE HI-TENSILE STEEL, SIDES, FRONT & T/G SIDES AND HEAD, 12 GAUGE HI-TENSILE SIDES FLOOR RADIUS 2", 8 GAUGE FLOOR, REAR CORNER POST 10" FULL DEPTH, BOXED TOP RAIL, TAILGATE DOUBLE ACTING, 2 X 10 BOARDS W/ CENTER BRACE, MUD FLAPS MANUAL TRANSMISSION 1/2 CAB SHIELD OVER TRUCK CAB SAFETY STRUT, BODY UP LIGHT, BACK UP ALARM POWER TAKE OFF 2 GEAR HEAVY DUTY HOIST FD63120, STROKE 120", 1ST SLEEVE 6", 2ND 6" 3RD 4", BASE TUBE 7", BLEEDER VALVE AT TOP SLEEVE OIL RESERVOIR MOUNTED ON FRAME UNDER DOG HOUSE, REAR PIVOT, HYDRAULIC PUMP 25 GPM 1000 RPM AT 1800 PSI GEAR TYPE DIRECT MOUNT TO POWER TAKE OFF CABLE CONTROL, POWER TAKE OFF 2 GEAR HEAVY DUTY CABLE CONTROL RELIEF VALVE BUILT INTO PUMP, CONTROL VALVE 3 POSITION (RAISE, HOLD & LOWER) SPRING LOAD TO NEUTRAL, CONSOLE ON FLOOR WITH LOCKING DEVICE IN NEUTRAL FOR PUMP, IN & OUT POWER TAKE OFF W/ LIGHTED PANEL, SEALED STAINLESS STEEL CABLE FROM CONTROL BOX TO CONNECTORS FOR PUMP AND POWER TAKE OFF. PAINTED ONE COLOR	\$29,911.00	\$29,911.00
1 EA	SW-25101601 / 09103	FURNISH AND INSTALL TARPING DEVICE, ELECTRIC OPERATED SPRING LOADED, ROLLUP TYPE FRONT TO REAR WITH STANDARD NYLON (MESH) TARP	\$2,877.00	\$2,877.00
1 EA	SW-25101601 / 09113	FURNISH AND INSTALL AIR OPERATED TAILGATE	\$763.00	\$763.00



IF YOU NEED TO HAUL IT,  
WE CAN HELP!

Southwest Trailers & Equipment  
10400 West Reno  
Oklahoma City, OK 73127  
Phone: (405) 943-9851 / (800) 375-6307  
Fax: (405) 488-1904 Kurt Olson  
Fax: (405) 488-1906 Kurt Schroeder  
[kolson@swtrailer.com](mailto:kolson@swtrailer.com) or  
[kschroeder@swtrailer.com](mailto:kschroeder@swtrailer.com)  
[www.swtrailer.com](http://www.swtrailer.com)

## QUOTATION

Quote ID: KO02568

Page 2 of 2

QUANTITY	PART NUMBER	DESCRIPTION	LIST PRICE	AMOUNT	
1	EA	SW-25101601 / 09105	UPGRADE TO PTO FOR AUTOMATIC TRANSMISSION HOTSHIFT PTO	\$2,001.00	\$2,001.00
<b>Quote Total:</b>				<b>\$35,552.00</b>	
40.00% <b>Discount off List:</b>				<b>(\$14,220.80)</b>	
<b>Sales Tax:</b>				<b>\$0.00</b>	
<b>Total Due:</b>				<b>\$21,331.20</b>	

The following options may be added:

QUANTITY	PART NUMBER	DESCRIPTION	NET PRICE	AMOUNT	ADD TO QUOTE	
1	EA	SW-25101601 / 09102	FURNISH AND INSTALL 8" EXT PAN	\$446.00	\$446.00	Yes / No
1	EA	SW-25101601 / 09104	FURNISH AND INSTALL PREMIER MODEL 2200 PINTLE HOOK HORIZONTAL PULL CAPACITY: 100,000 LBS. TONGUE WEIGHT CAPACITY: 20,000 LBS. LATCH CAPACITY: 60,000 LBS. MAXIMUM EYE X-SECTION: 1-13/16" MINIMUM EYE OPENING: 2" 1" STEEL PLATE W/SIDE REINFORCEMENTS WELDED TO REAR FRAME AIR SERVICE AND EMERGENCY LINES MOUNTED IN PLATE 7 WAY LIGHT BASE SAFETY HOLDERS FOR CHAINS INSTALLED F. O. B. OKLAHOMA CITY.	\$1,772.00	\$1,772.00	Yes / No

Customer must fill out the information below before the order can be processed...

Accepted by:	
Date:	
P.O. number:	

- ◆ Labor and installation is included in all pricing if stated in verbiage.
- ◆ Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.
- ◆ Please note if chassis is furnished, it is as a convenience and terms are Net Due on Receipt of Chassis

Notes: