# RESOLUTION 2020 - 44

### PURCHASE OF EQUIPMENT FOR CITY OF MARIETTA

WHEREAS, the purchase of equipment, materials and supplies is necessary to perform the duties relative to the functions lawfully imposed upon or assumed by the City of Marietta; and

**WHEREAS,** the following described equipment is needed to allow for the performance of the above described duties/functions; and

**WHEREAS,** in accordance with Section 2-172 of the Code of Ordinances, the following competitive bids for the purchase were submitted:

JEJ TRUCK BODIES & TRAILERS STEEL PUSHOUT TRAILERS \$81,800 00 STECO, INC. STEEL EJECTOR TRAILER \$68,660 00 SPECTOR MAN. INC. EJECTOR TRAILER \$77,206.00; and

WHEREAS, staff recommend the purchase of equipment as submitted by <u>STECO, INC.</u>, based upon the following justification: <u>SATISFACTORY</u> <u>PERFORMANCE WITH OTHER EQUIPMENT</u> BY SAME MANUFACTURER and

WHEREAS, funding is available to provide for this expenditure within the budget of the current fiscal year, under the following department/account: 02-15-800, 101TH AMEDMENT

NOW, THEREFORE, BE IT RESOLVED by the City Council of the City of Marietta: 1. The purchase of <u>STEEL EJELTOR TRAILER</u> as submitted by <u>STECO, TNC. (QUOTE #1/20-STOLA</u> is hereby approved based on: The recommendation of staff as previously indicated.

 $\Box$  the following:

2. The expenditure for the purchase will be deducted from the following department/account: 02-15-800, WITH ANY NECESSARY BUDGET AMENDMENT

PASSED by the City Council and SIGNED by the Mayor this \_// day of NOVEMBER\_\_\_\_\_, 2020.

ATTEST DOTTIE GWIN, CITY CLERK

AA

CITY OF MARIETTA

KIMBERLY FRAIRE, MAYOR

101 W. Main Marietta OK USA Attn: Mike Bu Phone: 580-2	tta Oklahoma St. 73448 Juxton	t Pike 5501	Quote: Type: Order: PO No: Stock: Brief Descrip Steel Pushout Number of U Sales Rep: Inside Sales:	SPO N t Trailer 45 nits: 1 Jerry (814	#3 5' x 96" wide Warrant Johnson ) 233-7868 Johnson	
DDY:	LENGTH WIDTH HEIGHT	45' 96" Wide 96"				
IDES:	STYLE SIDE FRONT SIDE REAR SIDE POSTS POST SPACING HORIZONTAL BRACING TOP RAIL SIDE LADDERS	Open Top 10 gauge HT 10 gauge HT 12 gauge HT 24" Full Leng 1 Row Full Le 6" x 3" x 3/1 Drivers Side	ength W/Shed .6" Tube	der		en j
OOF:	MATERIAL POST MATERIAL POST SPACING ROOF BRACES ROOF OPENING	* * None * * * * None * * * * None * * * * None * * * * None * *				
LOOR:	MATERIAL	3/16 HT				
AILGATE: UNNING GEAR:	CROSSMEMBER HARDWARE TYPE STYLE SHEET HEIGHT LADDER COMTROLS COMPACTOR SUSPENSION AXLES SLACK ADJUSTERS HUBS AND DRUMS TIRE STYLE WHEELS OUTSIDE WHEELS INSIDE TIRES	<pre>4" (7.7 LB/FT Barndoor (P.S Std. Barndoor 10 gauge HT 96 " * * None * * Manual Gate I * * None * * Hutch 9600 50 Hend. D22 #25 Haldex Auto-S Walther Hub p DUAL Wheel 22.5x8. GOODYEAR MARA</pre>	5. Hinge) Datch OK 3 Leaf 96 5000 .58 Wal Slack Adjust Diloted shor 25 10H.P.Wh 25 10H.P.Wh	l 96" wi ers t stud ite ite		r
YDRAULICS:	BRAKES SUSPENSION SUB-FRAME ENGINE (POWER SOURCE) PUMP HYD FUNCTIONS TELESCOPIC CYLINDERS HYD CONTROLS HOOK UP Quick Couplers Coupler size	4S/2M Tandem 1/4" Formed C * * None * * Push Out CUSTOM DAT96- Manual on Tra 2 Line,Tank/V 5100 Series Q 1"P,1-1/2"S	Air Brake S Channel (Tan 83-438TRUNI ailer Valve on Tra Quick Couple	ystem dem) ON iler	L	
JECTOR:	TANK MODEL MATERIAL	Steel 100 gal For 45' Push- 1/4 HT	out			
RAME:	GUIDE SHOES LANDING GEAR KING PIN KING PIN SETTING	Standard Stee Holland MK V Standard King 36"	w/Skid Foot			
ISC:	DOCUMENT HOLDER	Betts Documer		:		

(Continued on Next Page)

Ouote: 86209 # 3 Eng/Aut 0 16:56 Somerset Welding & Steel, Inc. Page Order: 10558 Somerset Pike PO No: Somerset, PA 15501 Stock: N Phone: (814) 444-3400 Fax: (814) 443-2621 Brief Description Customer City of Marietta Oklahoma Steel Pushout Trailer 45' x 96" wide 101 W. Main St. Warranty Yrs: 1 Entered By: JAJ Marietta OK 73448 Number of Units: 1 USA Attn: Mike Buxton Sales Rep: Jerry Johnson Inside Sales: Jerry Johnson Phone: 580-276-7045 E-Mail: mbuxton@mariettaok.city ----J & J Mudflaps (Std) MUDFLAPS Standard Mudshield MUDSHIELD LED Light Pkg., In Gate LIGHT PACKAGE IGHTS: MID TURN SIGNALS LED Amber Mid-Turns AINT: BODY One Color Genesis Paint ----- (Optional Equipment Is Included) ----DONOVAN SIDEWINDER CS MOUNT MESH TARPER 1 Price / Unit Including Options: \$79,300.00 Delivery Charge / Unit: 2,500.00 Total Due: \$81,800.00 Appx. Weight: \_\_\_\_ 28,313 lb Terms: Cash Only pecial Remarks: Unless indicated above, F.E.T., and sales tax are NOT included in price. NOTE: If a purchase order is required for payment, the purchase order must be provided before we enter this quote as an order and order any material for this job. lease review carefully. If you have any questions, contact this Terms: Cash Only ffice or your sales representative. If there are no questions, lease sign and return one of the enclosed copies. We must have signed copy of this quotation before we process and fabricate PRICE SUBJECT TO CHANGE AFTER 30 DAYS our order.

accepted, changes to orders within two weeks of scheduled production will incur a \$150.00 administrative fee \_\_\_ lus the option cost and may delay scheduled delivery. y: Date:

## STECO STEEL EJECTOR TRAILER

OPEN-TOP

KNL HOLDINGS / STECO, INC. 603 N. 3RD AVE PARAGOULD, AR 72450

#### 870-236-7753 870-239-2130 (FAX)

03-Nov-20 QUOTE #1120-ST01-A

5.4

DELIVERY DATE: APPROX 18 WEEKS

CITY OF MARIETTA		CT: MIKE BUXTON	-	
MARIETTA, OK 73448		TELEPHONE: 580-276-5569 CELL: 580-276-7045		
	ONE (1)		7	
QUANTITY	SE045100		-	
BODY TYPE	45'		-	
LENGTH			-	
WIDTH (OVERALL)			-	
SIDES	100" X 10 GAUGE FULL LENGTH (OVERALL HEIGHT 13')		-	
TOP RAIL	3" X 4" X 3/16" TUBE		-	
ANGLE TOP RAIL	NO		-	
SIDE POSTS	6" WIDE FORMED CHANNEL ON 24" CENTERS		-	
BOX BRACING	YES - SINGLE ROW		-	
CLEANER PLATES	OUTSIDE (X) INSIDE (X)		-	
TARP SYSTEM	DONOVAN SIDEWIDER ELECTRIC FLIP TARP		-	
TARP MATERIAL	MESH		-	
FLOOR	10 GAUGE FULL LENGTH		-	
CROSSMEMBERS	4" JR. I-BEAMS ON 12" CENTERS		_	
BLADE	3/16" FACE		-	
HOOK & ROLLER GUIDE	YES		_	
CYLINDER	9" X 6 STAGE (120,000#)		_	
MID CYLINDER SUPPORT	YES		_	
TAILGATE	BARNDOOR, HINGED ON CURBSIDE			
BULKHEAD	NO		_	
LADDER	RUNG-STYLE LADDER ON BULKHEAD		_	
TARP CARRIER	NO		_	
CATWALK	NO		_	
LONGITUDINALS	10" X 15# / FT. I-BEAM REAR TO LANDING GEAR		_	
AXLES	5" ROUND X 5/8" WALL / 25,000# CAPACITY / 77 1/2" TRACK		_	
BRAKES	16 1/2" X 7" AIR, WITH AUTO SLACK ADJUSTERS		_	
ANTI-LOCK SYSTEM	2S/IM ABS		_	
WHEELS	10 STUD HUBS, OUTBOARD DRUMS (HUB PILOTED, UNI-MOUNT)		_	
RIMS	8.25" X 22.5" STEEL DISC			
TIRES	11R 22.5" 14 PLY RADIALS		_	
SUSPENSION	REYCO 21B (52,000#) / 4 SPRING, 9 LEAF / CAST HANGERS			
LIFT AXLE(S)	NO		_	
KING PIN	36" SETTING ON 3/8" PLATE			
LANDING GEAR	HOLLAND MARK V, TWO SPEED, HEAVY DUTY			
TIRE CARRIER	NO			
LIGHTS	TRUCK-LITE LED SEALED SYSTEM		_	
MUD FLAPS	RUBBER REAR			
BUMPER	I.C.C. / PUSHER BUMPER WITH TOW HOOKS (2)			
HYDRUALIC FITTINGS	5100-S5-16B (PRESSURE) / (1) 5100-S2-20B (RETURN)			
HYDRAULIC HOSES	1" X 108" (PRESSURE / (1) 1 1/4" X 108" (RETURN)			
OIL TANK (FILTER & OIL)	110 GALLON TANK W/ HYDRAULIC OIL			
PAINT	ONE COLOR			
OPTIONS				

ALL QUOTES SUBJECT TO CHANGE AFTER 10 DAYS

TOTAL WITHOUT OPTIONS \$67,260.00 \$0.00 FEDERAL EXCISE TAX FREIGHT (Marietta, OK) \$1,400.00 \$68,660.00 TOTAL ONE UNIT NO. OF UNITS 1 TOTAL PRICE \$68,660.00 DEPOSIT (10% REQUIRED) \$6,866.00 \$61,794.00 BALANCE DUE

52

1

21290 PO NUMBER

CUSTOMER SIGNATURE INDICATES ORDER ACCEPTANCE AND

RECEIPT OF TERMS AND CONDITIONS

DUSTIN WILLIAMS

### SPECTOR MANUFACTURING INC. P.O. BOX 158 SAINT CLAIR, PA 17970 570-429-2510

CUSTOMER:	TOWN OF MARIETTA, OKLAHOMA					
CONTACT:	MIKE BUXTON 580-276-7045	DATE :	11/3/2020			
	STEEL OPEN TOP EJECTOR	QUOTE # :	1120153			
QUANTITY:	ONE (1)	CUBIC YARDS:	90			
BODY TYPE:	STEEL					
LENGTH:	45' X 96" WIDE	PRICE:	\$74,206.00			
SIDES:	96" X 3/16" AR 450	F.E.T.:	MUNICIPAL			
TOP RAIL:	6" X 4" X 1/4" STRUCTURAL TUBE	FREIGHT:	\$3,000.00			
ANGLE TOP RAIL:	4" X 3" X 1/4" INSIDE ANGLE					
SIDE POSTS:	6" X 10 GAUGE ON 18" CENTERS	TOTAL EACH:	\$77,206.00			
REAR POST:	4" X 3" X 3/8" STRUCTURAL TUBE					
BOX BRACING:	NA					
CLEANER PL. :	YES					
TARP:	AERO ELECTRIC					
TARP HOOKS:	YES					
FLOOR:	3/16" AR 450					
CROSS MEMBER:	4" JUNIOR I-BEAM ON 12" CENTERS					
BLADE:	10 GAUGE WITH 1/4" AR-400 WELD ON SLIDES					
BLADE GUIDE:	4" X 3" X 1/4" ANGLE WITH ADJUSTABLE BLADE GU	JIDES				
CYLINDER:	96-456 WITH MID CYLINDER SUPPORT					
TAILGATE:	BARNDOOR HINGED CURBSIDE W/TURNBUCKLE					
BULKHEAD:	NA					
LADDERS:	NA					
CAT WALK:	NA					
CHASSIS:	10" X 17# I-BEAM REAR TO LANDING GEAR					
AXLES:	TP 5" ROUND, 5/8" WALL, 25,000# CAPACITY					
BRAKES:	16-1/2" X 7" AIR WITH AUTO SLACK ADJUSTERS					
	4S/2M ABS BRAKE SYSTEM					
WHEELS:	10 HOLE, HUB PILOTED, OUTBOARD DRUMS					
RIMS:	8.25" X 22.5" TUBELESS STEEL DISC					
TIRES:	YOKOHAMA RY023 11R22.5 16 PLY					
SUSPENSION:	HUTCH CH 9700 50,000# CAPACITY					
AIR RIDE/AIR LIFT:	NA					
KING PIN:	36" ON A 3/8" PIN PLATE					
FIFTH WHEEL HT. :	49" STANDARD					
LANDING GEAR:	HOLLAND MARK V					
TIRE CARRIER:	NA					
LIGHTS:	LED, REAR LIGHTS IN GATE					
LIGHT PLUG:	7-WAY					
FLAPS:	I.C.C.					
BUMPER:	STANDARD PUSHER WITH TOW HOOK					
OIL TANK:	YES					
OIL FILTER:	YES					
CONTROL VALVE:	YES					
HYD. FITTINGS:	(1) 5100-S5-16B PRESSURE / (2) 5100-S5-20B RETU	RN				
HYD. HOSES:	(1) 1" X 108" PRESSURE / (2) 1-1/4" X 108" RETURN					
PAINT:	STANDARD ENAMEL					
OPTIONS:						

a.)

81